

INDEX MAPS.

T. 25N, R. 1W. 2nd Mer.

	266		265		265		265		265		264	
268	6	289	5	283	4	279	3	275	2	271	1	264
	289		289		283		279		275		271	
267	7	288	8	283	9	279	10	275	11	271	12	264
	288		288		282		278		274		270	
267	18	287	17	282	16	278	15	274	14	270	13	263
	287		287		282		278		274		270	
267	19	286	20	281	21	277	22	273	23	269	24	263
	286		285		281		277		273		269	
266	30	285	29	281	28	277	27	272	26	269	25	263
	285		284		280		276		272		268	
266	31	284	32	280	33	276	34	272	35	268	36	262
	284		282		280		276		272		268	

T. 26N, R. 1W. 2nd Mer.

	298	297	297	297	296	296						
300	6	321	5	321	4	320	3	2	304	1	296	
	322	321	321	320	319	319	311	307	304			
300	7	322	8	322	9	311	10	307	11	303	12	295
299	18		17	314	16	310	15	306	14	303	13	295
299	19	317	20	313	21	310	22	306	23	302	24	295
299	30	315	29	312	28	309	27	305	26	301	25	295
298	31	314	32	311	33	308	34	304	35	301	36	294
	294	294	293	293	293	293	293	293	293	293	293	

Alondra 318, 323

The figures on the lines refer to the page.

293

Township N. 26 North, Range N. 1 West 2. Mer. Ind. a

Township Series.

South Boundary. Var. 5° 45' E.

West on the S. Boundary of Sec. 36

November 22, 1819

40.00 tot of sec. part from which

a Beech 12 in. diameter South 2 Ms. dist. 8

a W. Beech 6 " " " N 13 E 22 " "

80.00 tot part cor. of sec. 35 & 36 from which

a Maple 12 in. diameter N 56 E 26 Ms. dist. 8

a W. Beech 6 " " " S 13 W 16 " "

Land 2. rate, middling farming land

West on the S. Boundary of Sec. 35

40.00 tot of sec. part from which

a Poplar 30 in. diameter S 72 E 18 Ms. dist. 8

a S. Oak 12 " " " S 43 W 21 " "

41.00 a Brook 6 Ms. wide corner N 7 W

80.00 tot part cor. of sec. 34 & 35 from which

a Beech 11 in. diameter N 81 E 20 Ms. dist. 8

a R. Oak 36 " " " S 45 W 62 " "

Land 4. same as on the last mile

West on the S. Boundary of Sec. 34

15.00 a Brook 12 Ms. wide corner N 7 W

40.00 tot of sec. part from which

a Beech 8 in. diameter S 19 E 29 Ms. dist. 8

a S. 7 " " " N 59 W 12 " "

80.00 tot part cor. of sec. 33 & 34 from which

a Beech 11 in. diameter N 56 W 14 Ms. dist. 8

a Sugar 30 " " " S 17 E 39 " "

Land similar, 4 1/2 mile very rich & good
for farming

West on the S. Boundary of Sec. 33

39.00 a Creek 50 Ms. wide corner S 7 W

40.00 tot of sec. part from which

T. 26 N., R. 1 W. 2, Mer. Ind. a

Ch. Ek.

- a Buckeye 9 in. diameter N 25° W 50 lbs. dist. 8
 an Elm 20 " " " West 28 " "
 45.00 same Creek course N° W
 75.00 " " " S° W
 80.00 set part cor. of sec. 32 & 33 from which
 a Buckeye 9 in. diameter S 57° E 14 lbs. dist. 8
 a W. Walnut 14 " " " N 36° W 25 " "
 Land similar to that on last mile

West on the S. Boundary of Sec. 32

- 14.70 same Creek course N° W
 40.00 set g. sec. part from which
 a Sugar 18 in. diameter S 79° E 24 lbs. dist. 8
 a Beech 6 " " " S 35° W 16 " "
 80.00 set part cor. of sec. 31 & 32 from which
 a Beech 14 in. diameter S 80° W 21 lbs. dist. 8
 a Bl. Ash 9 " " " N 79° E 56 " "
 West 1/2 mile rich & good for farming, Beech, Sugar &c.

West on the S. Boundary of Sec. 31

- 38.00 a Creek 50 lbs. wide course S° W
 40.00 set g. sec. part from which
 a Lycamore 14 in. diameter S 45° E 18 lbs. dist. 8
 a Do 20 " " " N 17° W 64 " "
 50.00 same Creek course N° W
 80.00 set part for temp. Township corner
 Land similar to that on last mile

Second Principal Meridian
 or East Boundary. Var. 5.45' E.

North on the E. Boundary of Sec. 36

- 40.00 set g. sec. part from which
 a Beech 30 in. diameter S 59° W 4 lbs. dist. 8
 a Do 18 " " " S 85° E 29 " "
 45.00 a Brook 6 lbs. wide course N° W
 50.00 a Creek 15 lbs. wide course W

T. 26 N., R. 14 W. 2. Mer. Ind.?

Chr. Ind.

80.00 set part cor. of sec. 25 & 36 from which
 a Beech 30 in. dia. bears S 42° W 41 Ms. dist. 1/2
 a Sugar 9 " " " N 49° E 29 " "
 Land & same as on the last mile

North on the E. Boundary of Sec. 25

40.00 set q. sec. part from which
 a W. Ash 12 in. dia. bears S 28° E 13 Ms. dist. 1/2
 an Ironwood 10 " " " N 79° W 22 " "
 80.00 set part cor. of sec. 24 & 25 from which
 a Beech 5 in. dia. bears S 9° W 32 Ms. dist. 1/2
 a Di 12 " " " N 29° E 31 " "
 Land & same as on the last mile

North on the E. Boundary of Sec. 24

40.00 set q. sec. part from which
 a Hickory 9 in. dia. bears N 54° W 20 Ms. dist. 1/2
 a B. Ash 12 " " " N 81° E 14 " "
 80.00 set part cor. of sec. 13 & 24 from which
 a Hickory 27 in. dia. bears S 21° E 17 Ms. dist. 1/2
 a Beech 9 " " " N 60° W 10 " "
 Land similar to that on last mile, part wet

North on the E. Boundary of Sec. 13

40.00 set q. sec. part from which
 a Beech 9 in. dia. bears S 17° E 37 Ms. dist. 1/2
 a Poplar 48 " " " N 14° E 23 " "
 45.00 a Brook 8 Ms. wide course S W
 80.00 set part cor. of sec. 12 & 13 from which
 a W. Ash 5 in. dia. bears N 27° W 13 Ms. dist. 1/2
 a Poplar 12 " " " S 4° E 31 " "
 Land 1/2 mile wet, 1/2 mile rich & good for farming

North on the E. Boundary of Sec. 12

18.00 a Brook 15 Ms. wide course W
 40.00 set q. sec. part from which

T. 26 N., R. 1 W. 2. Mer. Ind.

Chs. 24.

a Sugar 9 in. dis. bears N 48 E 13 1/2 lbs. dist. 8
 a Beech 24 " " " S 83 W 12 " "
 80.00 set part cor. of sec. 1 & 2 from which
 an Elm 18 in. dis. bears North- lbs. dist. 8
 a Beech 10 " " " S 80 E 18 " "
 Land good 2. rate, timber Beech, Sugar, Walnut,
 Poplar, Oak, good for farming

North on the E. Boundary of Sec. 1

10.00 a Brook 10 lbs. wide course W

40.00 set q. sec. part from which

a Beech 7 in. dis. bears S 45 E 16 lbs. dist. 8

a Do 27 " " " N 17 E 20 " "

80.00 set part cor. of T. 26 & 27 N, R 1 W. from which

a Blue Ash 13 in. dis. bears S 24 W 21 lbs. dist. 8

a Sugar 20 " " " S 70 E 25 " "

Land rich & good for farming.

North Boundary, Var. 5° 45' E.

West on the S. Boundary of Sec. 36, T 27 N, R 1 W

40.00 set q. sec. part from which

a B. Walnut 27 in. dis. bears N 51 E 11 lbs. dist. 8

a Buckeye 8 " " " S 74 W 24 " "

54.00 a Brook 12 lbs. wide course N

67.00 a Do 6 " " " N

80.00 set part cor. of sec. 35 & 36 from which

an Ironwood 9 in. dis. bears N 16 W 4 lbs. dist. 8

a Sugar 30 " " " S 35 E 36 " "

First rate bottom land

West on the S. Boundary of Sec. 35, T 27 N, R 1 W

12.00 a Brook 10 lbs. wide course N

40.00 set q. sec. part from which

a Sugar 12 in. dis. bears S 15 E 38 lbs. dist. 8

a W. Oak 24 " " " N 23 E 26 " "

72.97 set part on left bank of Wabash River from which

T.M.N., R. 1 W. 2. Mer. Ind. a

Elev. 240

a W. Oak 18 in. diameter N 60 E 10 M. dist. 2

a Sugar 12 " " " N 33 W 17 " "

Land similar above inundation

Surveyed in 1819 by William Harris

Dep. Surveyor

Continued in 1828 by David Willis, D. S.

West on the S. Boundary of Sec. 35, T 27 N, R 1 W

Commencing at post on left bank of Wabash R.
7.03 to cor. of sec. 34 & 35 in the River.

West on the S. Boundary of Sec. 34, T 27 N, R 1 W

10.28 to the right bank of the Wabash in G. Cicott's
Reserve

54.50 a Stream 15 M. wide course S W

60.38 a R. Oak 32 in. dia.

69.72 to W. line of G. Cicott's reserve

80.00 at post cor. of sec. 33 & 34 from which

a B. Ash 19 in. diameter N 73 E 26 M. dist. 2

a Beech 17 " " " N 43 W 11 " "

Land rolling 1. ^{1/2} mts, timber Ash, Sugar & Beech

Upr. Ironwood, Spice & Sugar

West on the S. Boundary of Sec. 33, T 27 N, R 1 W

30.13 an Elm 4 in. dia.

40.00 at q. sec. post from which

a R. Oak 22 in. diameter N 6 E 9 M. dist. 2

a Do 15 " " " N 72 W 68 " "

54.40 a Do 37 " "

80.00 at post cor. of sec. 32 & 33 from which

a W. Oak 11 in. diameter N 56 E 16 M. dist. 2

a R. Oak 13 " " " N 28 W 30 " "

Land & timber the same as on last mile

West on the S. Boundary of Sec. 32, T 27 N, R 1 W

27.75 a R. Oak 24 in. dia.

40.00 at q. sec. post from which

T. 26 N., R. 1 W. S. Mer. Ind. a

Chs. 20?

- a W. Oak 18 in. dia. bears N 47 E 33 lbs. dist. 8
 a Do 24 " " " N 64 W 31 " "
 75.00 a Hickory 15 " "
 80.00 at part cor. of sec. 31 & 32 from which
 a W. Oak 28 in. dia. bears N 65 E 16 lbs. dist. 8
 a Maple 17 " " " N 49 W 13 " "
 Land level 2^d rate, timber Oak, Poplar & Hickory
 Wyr. Hazel, Sassafras & Hickory

West on the S. Boundary of Sec. 31, T. 27 N., R. 1 W

16.17 a R. Oak 22 in. dia.

34.06 a B. Ash 20 " "

40.00 at q. sec. part from which

an Elm 3 in. dia. bears N 77 E 17 lbs. dist. 8

a R. Oak 10 " " " N 65 W 9 " "

64.72 a W. Oak 15 " "

72.50 Entered W. Boundary 300 lbs. S. of part-

at part at intersection cor. of T. 26 & 27 N., R. 1 & 2 W. from
 which a Hickory 6 in. dia. bears N 58 E 23 lbs. dist. 8

a Sugar 20 " " " N 34 W 31 " "

Land & timber same as last described

May 13. 1828 David Willis

Dep. Surveyor.

West Boundary. Var. 5° 55' E

Bearings at cor. of T. 25 & 26 N., R. 1 & 2 W

a Sugar 15 in. dia. bears S 30 W 25 lbs. dist. 8

a Beech 12 " " " N 19 E 33 " "

Northern the E. Boundary of Sec. 36, T. 26 N., R. 2 W

November 27. 1819

19.00 a Creek 50 lbs. wide course W

40.00 at q. sec. part from which

a Beech 8 in. dia. bears S 13 E 38 lbs. dist. 8

a Do 27 " " " N 5 E 13 " "

57.50 a Creek 60 lbs. wide course NE

80.00 at part cor. of sec. 25 & 36 from which

T. 26 N., R. 1 W. 2. Mer. Ind. a.

Chs. Eps.

an Oak 9 in. dia. bears East 4 1/2 Ms. dist. S

a W. Walnut 11 " " " N 40 W 12 " " "

Land very rich & good for farming, timber Beech,
Sugar, Ash, Walnut, Oak &c. part broken

North on the E. Boundary of Sec. 25, T. 26 N., R. 2 W

40.00 set g. sec. post from which

a W. Oak 20 in. dia. bears S 58 W 12 Ms. dist. S

an Ironwood 8 " " " S 83 E 23 " " "

80.00 set post on. of sec. 24 & 25 from which

a Hackberry 9 in. dia. bears N 24 W 2 Ms. dist. S

a Buckeye 8 " " " S 42 E 11 " " "

Land 1st rate, 1 1/2 mile bottom which never
overflows

North on the E. Boundary of Sec. 24, T. 26 N., R. 2 W

40.00 set g. sec. post from which

an Ironwood 7 in. dia. bears N 69 E 13 Ms. dist. S

a Bl. Ash 24 " " " N 70 W 17 " " "

71.81 set post on left bank of Wabash River from which

a Sugar 14 in. dia. bears N 17 E 15 Ms. dist. S

a Do 30 " " " S 88 W 40 " " "

Land similar to that on last mile

Surveyed by William Harris

Dep. Surveyor.

Continued in 1828 by David Willis, D. S.
Commencing at post on left bank of Wabash
River. Var. 5° 55' E.

7.16 over Wabash River & set post on right bank

8.19 set post on. of sec. 13 & 14 from which

a Buckeye 15 in. dia. bears N 73 W 17 Ms. dist. S

a Hackberry 9 " " " S 67 E 3 " " "

North on the E. Boundary of Sec. 13, T. 26 N., R. 2 W

2.40 a Stream 14 Ms. wide course S E

20.98 a Beech 16 in. dia.

T. 26 N., R. 1 W. 2. Mer. Ind. a

Ch. Ch.

40.00 set g. sec. part from which

a Beech 16 in. dia. bears S 9 W 18 W. dist. 8

a Sugar 12 " " " N 38 W 42 " "

65.46 a B. Walnut 58 " "

75.50 S. Prairie

80.00 set part cor. of sec. 12 & 13 from which

a Gum 4 in. dia. bears S 73 W 278 W. dist. 8

a W. Walnut 18 " " " N 76 W 346 " "

Land hilly & 2. rate, timber Oak, Gum & Walnut
Upr. Dogwood & Ironwood

North on the E. Boundary of Sec. 12, T. 26 N., R. 2 W

7.50 leave S. Prairie

7.75 Intersect NW line of Reserve for Cicott's children,
26.00 Ch. from the NE. ly corner thereof
set part from which

a W. Oak 8 in. dia. bears N 63 W 35 W. dist. 8

a Hickory 24 " " " S 48 W 12 " "

25.82 a Sugar 20 " "

40.00 set g. sec. part from which

a Hickory 7 in. dia. bears S 55 W 22 W. dist. 8

a W. Oak 30 " " " N 23 W 42 " "

45.40 a Stream course S E

63.48 a W. Oak 36 in. dia.

80.00 set part cor. of sec. 1 & 12 from which

a Hickory 12 in. dia. bears S 33 W 4 W. dist. 8

a B. Ash 13 " " " N 19 W 29 " "

Land & same as on last mile

North on the E. Boundary of Sec. 1, T. 26 N., R. 2 W

16.20 a B. Ash 36 in. dia.

40.00 set g. sec. part from which

a B. Ash 12 in. dia. bears S 50 W 32 W. dist. 8

a B. Oak 6 " " " N 46 W 5 " "

75.97 a Beech 30 " "

80.00 set part for temp. Township corner.

T. 26 N., R. 1 W. 2^d. Mer. Ind. a

Chs. Lks.

Land level & 2^d rate, timber Oak, Beech, Sugar &
Poplar - Upr. Maple, Hickory & Ironwood
May 12, 1828

David Hillis
Dep. Surveyor.

Subdivision. Var. 5th 45th E.

North between Sec. 35 & 36, T. 26 N., R. 1 W.

24.31 a Beech 16 in. dia.

33.85 a Stream 73th m. in. course NW

40.00 set q. sec. post from which

a Lycamore 18 in. dia. bears S 68 E 39th m. dist. 8

a Walnut 42 " " " S 26 W 48 " "

44.68 an Ash 18 " "

80.00 set post cor. of sec. 25, 26, 35 & 36 from which

an Elm 36 in. dia. bears N 29 W 35th m. dist. 8

a Beech 10 " " " S 38 E 38 " "

Land swampy & bushy, timber B. Ash & Upr.

East in Random between Sec. 25 & 36

40.00 set temp. q. sec. post

80.00 Intersect E. Boundary 20th m. N. of post -

Land level wet & brushy, timber B. Ash & Upr.
Spruce &

West Connected between Sec. 25 & 36

40.00 set q. sec. post at aver. dist. from which

a Sugar 14 in. dia. bears S 34 E 20th m. dist. 8

an Ash 15 " " " N 48 W 28 " "

80.00 to sec. cor.

North between Sec. 25 & 26

11.53 a Beech 18 in. dia.

40.00 set q. sec. post from which

a Maple 18 in. dia. bears N 4 E 30th m. dist. 8

a W. Oak 20 " " " S 33 W 15 " "

58.49 a Do 30 " "

T. 26 N., R. 1 W. 2. Mer. Ind. a.

Ch. 1. 1st.

80.00 set post cor. of sec. 23, 24, 25 & 26 from which
 a Beech 12 in. dis. bears S 48 W 27 Mo. dist. 8
 a Do 16 " " " N 8 E 18 " "
 Met brushy land, timber B. Ash &c.

East on Random between Sec. 24 & 25

40.00 set temp. q. sec. post

79.90 Intersect E. Boundary 28 Mo. N. of post -
 Land very brushy wet

West Connected between Sec. 24 & 25

39.95 set q. sec. post at aver. dist. from which
 a W. Oak 36 in. dis. bears S 48 E 8 Mo. dist. 8
 a Hickory 20 " " " N 47 W 17 " "
 79.90 to sec. cor. August 9. 1828

North between Sec. 23 & 24

28.64 an Ash 30 in. dis.

40.00 set q. sec. post from which
 a Beech 30 in. dis. bears N 15 E 15 Mo. dist. 8
 a Do 24 " " " S 55 W 33 " "

49.80 a Sugar 20 " "

76.98 a W. Oak 36 " "

80.00 set post cor. of sec. 13, 14, 23 & 24 from which
 a Poplar 24 in. dis. bears S 33 E 30 Mo. dist. 8
 a Beech 16 " " " N 49 E 25 " "
 Land level 2^d rate, timber Beech, Oak, Ash &c.
 Wyl. Spice &c.

East on Random between Sec. 13 & 24

40.00 set temp. q. sec. post

80.00 Intersect E. Boundary 18 Mo. N. of post -
 Land level 2^d rate, timber Beech, Oak, Ash,
 Wyl. Spice &c.

West Connected between Sec. 13 & 24

T. 26 N., R. 1 W. E. Mer. Ind.?

Exp. 2nd

40.00 set g. sec. post at aver. dist. from which
 a B. Oak 15 in. dia. bears N 23 W 5 Ms. dist. 8
 a Do 16 " " " S 50 E 13 " "
 80.00 to sec. cr.

North between Sec. 13 & 14

21.94 a Beech 30 in. dia.
 36.55 an Elm 24 " "
 40.00 set g. sec. post from which
 a Poplar 10 in. dia. bears S 7 W 20 Ms. dist. 8
 a Beech 15 " " " N 45 E 29 " "
 48.19 a Do 30 " "
 80.00 set post cr. of sec. 11, 12, 13 & 14 from which
 an Ironwood 8 in. dia. bears S 31 W 46 Ms. dist. 8
 a Beech 24 " " " N 60 E 21 " "
 Land level 2nd rate, timber Beech, Oak, Ash &
 Upr. Spruce &

East in Random between Sec. 12 & 13

40.00 set temp. g. sec. post
 49.90 a Brook 20 Ms. wide runs N W
 80.10 Intersect Cr. Boundary 16 Ms. N. of post -
 Land 1st 1/2 mile level 2nd rate, 2nd 1/2 mile rolling
 timber Beech, Oak, Poplar, 2nd rate, Upr. Spruce &

West Corrected between Sec. 12 & 13

40.05 set g. sec. post at aver. dist. from which
 a Sugar 30 in. dia. bears N 75 E 23 Ms. dist. 8
 a Hickory 16 " " " S 70 W 35 " "
 80.10 to sec. cr. August 10. 1821

North between Sec. 11 & 12

9.09 a Sugar 20 in. dia.
 40.00 set g. sec. post from which
 a Beech 24 in. dia. bears N 45 W 12 Ms. dist. 8
 a Do 18 " " " S 37 E 35 " "

T. 26 N., R. 1 W. 2. Mer. Ind. a

Chs. 9th?

45.17 a Stream 25 lbs. wide curve S⁴W

46.00 an Elm 30 in. dia.

66.50 a Walnut 48 " "

80.00 set post cor. of sec. 1, 2, 11 & 12 from which
a Beech 18 in. dia. bears S⁴7⁴W 23 lbs. dist. 8

a Do 20 " " " N 64 E 46 " "

Land T. rate rolling, timber Walnut, Poplar,
Buckeye & Wyr. Spice, Pawpaw &c.

East on Random between Sec. 1 & 12

40.00 set temp. g. sec. post

80.15 Intersect E. Boundary at post —

Land T. rate, timber B. Ash, Walnut & Spice &c.

West Corrected between Sec. 1 & 12

40.07 set g. sec. post at aver. dist. from which
(Bearings omitted)

80.15 to sec. cor.

North between Sec. 1 & 2

2.50 enter a Prairie

40.00 set g. sec. post from which (post in Prairie)

a W. Oak 16 in. dia. bears N 10⁴W 106 lbs. dist. 8

a Do 16 " " " N 61 E 120 " "

52.00 leave Prairie

79.84 Intersect N. Boundary at post —

Last 1/2 mile brushy. August 11. 1821

North between Sec. 34 & 35

2.22 a Stream 80 lbs. wide curve W

9.25 a Beech 20 in. dia.

35.22 a W. Oak 24 " "

40.00 set g. sec. post from which

a Beech 18 in. dia. bears N 66 E 36 lbs. dist. 8

a Do 12 " " " S 75 W 41 " "

45.00 a Do 18 " "

T. 26 N., R. 1 W. S. Mer. Ind. a.

Exp. 26.

59.56 a Walnut 30 in. dia.

80.00 set post cor. of sec. 26, 27, 34 & 35 from which

a Beech 10 in. dia. bears S 7 E 18 W. dist. 2

a Sugar 10 " " " N 23 W 16 " "

Land T. 1/2 mile broken & brushy, 2 1/2 mile S. rate,
timber Beech, W. Oak, Walnut & Upr. Spice

East on Random between Sec. 26 & 35

40.00 set temp. g. sec. post

79.83 Intersect N. & S. line 16 W. N. of post -

Land S. rate, timber Beech, Hickory, Ash, Upr. Spice

West Corrected between Sec. 26 & 35

39.91 1/2 set g. sec. post at aver. dist. from which

a Beech 16 in. dia. bears S 61 E 42 W. dist. 2

a B. Oak 20 " " " N 58 W 45 " "

79.83 to sec. cor.

North between Sec. 26 & 27

7.30 a Maple 24 in. dia.

40.00 set g. sec. post from which

a Sugar 14 in. dia. bears N 54 W 20 W. dist. 2

a Beech 12 " " " S 33 E 30 " "

45.06 a Do 30 " "

00.47 a Hickory 20 " "

80.00 set post cor. of sec. 22, 23, 26 & 27 from which

a Beech 16 in. dia. bears S 27 W 30 W. dist. 2

a Do 14 " " " N 40 E 32 " "

Land wet & swampy, Beech, Hickory & Upr. Spice

East on Random between Sec. 23 & 26

40.00 set temp. g. sec. post

80.00 Intersect N. & S. line 20 W. N. of post -

Land level, wet & brushy, timber B. Oak & Upr. Spice

West Corrected between Sec. 23 & 26

T. 26 N., R. 1 W. 2. Mer. Ind. a

Ch. 2nd

40.00 set g. sec. post at aver. dnt. from which
 a Beech 18 in. diam. N 10 E 4 Ms. dnt. 4
 a Sugar 18 " " " S 10 W 18 " "
 80.00 to sec. cor.

North between Sec. 22 & 23

8.56 an Ash 24 in. dia.
 40.00 set g. sec. post from which
 an Ash 10 in. diam. S 72 W 18 Ms. dnt. 3
 a Sugar 14 " " " S 70 E 28 " "
 45.05 a Beech 26 " "
 71.50 a Do 24 " "
 80.00 set post en. of sec. 14, 15, 22 & 23 from which
 a Hickory 8 in. diam. S 10 W 23 Ms. dnt. 3
 a Beech 16 " " " N 47 E 20 " "
 Land 2nd rate, timber Beech, Ash, Sugar & Upr.
 Spice & August 12, 1821

East on Random between Sec. 14 & 23

40.00 set temp. g. sec. post
 80.00 Intersect N & S. line 16 Ms. S. of post —
 Land level 2nd rate, timber Beech, Hickory,
 Oak & Upr. Spice &

West Connected between Sec. 14 & 23

40.00 set g. sec. post at aver. dnt. from which
 a Hickory 14 in. diam. N 56 E 12 Ms. dnt. 3
 a Lynn 12 " " " S 42 W 18 " "
 80.00 to sec. cor.

North between Sec. 14 & 15

13.21 a Beech 20 in. dia.
 22.58 a Walnut 36 " "
 40.00 set g. sec. post from which
 a Beech 12 in. diam. S 61 W 13 Ms. dnt. 3
 an Ash 26 " " " N 30 E 16 " "

T. 26 N., R. 1 W. 2. Mer. Ind. a

CH. 20.

46.55 a Beech 20 in. dia.

77.12 an Ash 30 " "

80.00 set post on. of sec. 10, 11, 14 & 15 from which
a W. Oak 24 in. dia. bears S 40° W 13 Ms. dist. 8
a Maple 14 " " " N 70° E 23 " "Land rolling S. rate, timber Beech, Sugar, Wal-
nut, Ash & Upr. Spruce &

East on Random between Sec. 14 & 14

40.00 set temp. of sec. post

80.00 Intersect N. S. line at post -

Land level S. rate, timber Beech, Oak, Ash
& Upr. Spruce &

West Connected between Sec. 11 & 14

40.00 set of sec. post at aver. dist. from which

a Beech 20 in. dia. bears N 45° E 30 Ms. dist. 8

a Do 18 " " " S 24° W 30 " "

80.00 to sec. cor.

North between Sec. 10 & 11

7.20 a Beech 20 in. dia.

38.16 a Brook 25 Ms. wide course S W

40.00 set of sec. post from which

a W. Oak 12 in. dia. bears N 70° E 4 Ms. dist. 8

a Sugar 8 " " " S 80° W 23 " "

53.10 a Beech 30 " "

63.26 an Elm 26 " "

80.00 set post on. of sec. 2, 3, 10 & 11 from which

a — 24 in. dia. bears N 67° W 33 Ms. dist. 8

a Beech 30 " " " S 77° E 43 " "

Land broken & hilly, timber Beech, Poplar,
Sugar & Upr. Spruce &

East on Random between Sec. 2 & 11

40.00 set temp. of sec. post

T. 26 N., R. 1 W. 2. Mer. Ind.^a

Chs. Chs.

57.00 enter a Prairie

58.00 leave "

79.90 Interest N & E line at port -

Land level & rate, timber Beech, Oak, Sugar
& Wyp. Spice &c.

West Corrected between Sec. 2 & 11

39.95 set g. sec. part at over. dint. from which

a Beech 20 in. dia bears N 44 W 39 lbs. dint. 8

a Do 20 " " " S 61 E 23 " "

79.90 to sec. cor. August 13. 1821

North between Sec. 2 & 3

5.43 a Beech 20 in. dia,

40.00 set g. sec. part from which

a Hackberry 8 in. dia bears S 50 W 18 lbs. dint. 8

a Buckeye 8 " " " N 83 E 13 " "

50.00 Interest Wabash River, set part on left bank
from which

a W. Oak 18 in. dia bears S 43 W 22 lbs. dint. 8

a Walnut 36 " " " S 89 E 34 " "

Over Bottom land, timber Sugar, Buckeye &c.

North between Sec. 33 & 34

6.18 an Elm 20 in. dia.

9.60 a Stream 60 lbs. wide course S W

24.47 a Beech 30 in. dia.

40.00 set g. sec. part from which

a Beech 12 in. dia bears S 35 E 20 lbs. dint. 8

a Do 30 " " " N 38 W 27 " "

47.70 a Do 26 " "

59.26 a Walnut 36 " "

80.00 set part cor. of sec. 27, 28, 33 & 34 from which

a Beech 12 in. dia bears S 38 E 20 lbs. dint. 8

an Ash 18 " " " N 40 W 36 " "

Land swampy, timber Beech, Ash & Spice

T. 26 N., R. 1 W. 2. Mer. Ind. a.
 Wgs. Spr.

East on Random between Sec. 27 & 34

40.00 set temp. g. sec. port

79.84 Intercept N & S. line 16 Ms. N. of port -

Land swampy & wet, timber Beech, Ash &
 Wgs. Spruce

West Corrected between Sec. 27 & 34

39.92 set g. sec. port at av. dist. from which

a Beech 8 in. dia. bears S 9 E 12 Ms. dist. 3

a Do 8 " " " N 9 E 20 " "

79.84 to sec. cor.

North between Sec. 27 & 28

10.17 an Elm 30 in. dia.

40.00 set g. sec. port from which

a Beech 16 in. dia. bears S 41 E 30 Ms. dist. 3

a Do 12 " " " N 52 W 19 " "

50.35 a Lynn 30 " "

65.88 an Ash 30 " "

80.00 set port cor. of sec. 21, 22, 27 & 28 from which

a Beech 6 in. dia. bears S 57 E 27 Ms. dist. 3

a Do 18 " " " N 74 W 38 " "

Land level 2. rate, timber Walnut, Beech,
 Oak & Wgs. Spruce & August 14, 1821

East on Random between Sec. 22 & 27

40.00 set temp. g. sec. port

79.80 Intercept N & S. line 20 Ms. N. of port -

Land level & 2. rate, timber Beech, Oak & Wgs.
 Spruce

West Corrected between Sec. 22 & 27

39.90 set g. sec. port at av. dist. from which

a Sugar 20 in. dia. bears N 22 W 5 Ms. dist. 3

a Beech 12 " " " S 6 W 9 " "

79.80 to sec. cor.

T. 26 N., R. 1 W. 2. Mer. Ind. ^a

Ch. Ek?

North between Sec. 21 & 22

11.58 a Beech 24 in. dia.

36.38 an Ash 24 " "

37.40 a Brook 25 lbs. wide course S W

40.00 set g. sec. post from which

a Sugar 16 in. dia. bears S 58 W 11 lbs. dist. 8

a Beech 8 " " " N 37 E 24 " "

47.58 an Ash 36 " "

65.36 a Sugar 30 " "

80.00 set post cor. of sec. 15, 16, 21 & 22 from which

an Elm 12 in. dia. bears N 69 E 8 lbs. dist. 8

a Do 12 " " " N 78 E 13 " "

Land level 2^d rate, timber Beech, Sugar, Walnut,
Ypr. Spice &c.

East on Random between Sec. 15 & 22

40.00 set temp. g. sec. post

79.90 Intersect N & S line at post -

Land level 2^d rate, timber Beech, Sugar, Ypr. Spice

West Connected between Sec. 15 & 22

39.95 set g. sec. post at aver. dist. from which

an Elm 30 in. dia. bears N 74 W 42 lbs. dist. 8

a Beech 26 " " " S 53 E 8 " "

79.90 to sec. cor.

North between Sec. 15 & 16

17.76 a Beech 30 in. dia.

32.14 an Elm 24 " "

40.00 set g. sec. post from which

a Beech 30 in. dia. bears S 51 E 12 lbs. dist. 8

a Do 26 " " " N 43 W 33 " "

47.40 a Do 24 " "

59.32 a Brook 25 lbs. wide course N W

80.00 set post cor. of sec. 9, 10, 15 & 16 from which

a Sugar 20 in. dia. bears N 89 E 10 lbs. dist. 8

T. 26 N., R. 1 W. S. Mer. Ind.?

Ch. 27?

a Beech 6 in. dis. bears \$16 E 10 W. dirt.

Land rolling good 2. rate, timber Beech, Walnut,
Sugar & Elm. Spice.

East on Random between Sec. 10 & 15

40.00 at temp. g. sec. port

79.80 Interest N. & S. line at port—

Land 1 1/2 mile hilly creek—2 1/2 mile level
2. rate, timber Beech, Sugar & Elm. Spice

West Corrected between Sec. 10 & 15

39.90 at g. sec. port at arr. dirt. from which

a Beech 10 in. dis. bears N 59 E 7 W. dirt. &

a Do 12 " " " \$44 71 30 " "

79.80 to sec. cr. August 15. 1821

North between Sec. 9 & 10

16.77 an Elm 15 in. dis.

40.00 at g. sec. port from which

an Elm 30 in. dis. bears S 30 E 5 W. dirt. &

an Ironwood 6 " " " N 22 W 17 " "

44.90 a Buckeye 20 " "

51.78 Interest Wabash River, tot port on left bank from

which an Elm 18 in. dis. bears S 37 W 27 W. dirt. &

a Walnut 10 " " " S 22 E 53 " "

Land low bottom

West between Sec. 3 & 10

18.26 Interest Wabash R. at port on left bank from

which a Sugar 30 in. dis. bears S 34 W 13 W. dirt. &

a Do 30 " " " N 54 E 30 " "

First rate bottom

North between Sec. 32 & 33

5.51 an Ash 20 in. dis.

25.00 an Elm 30 " "

T. 26 N., R. 1 W. E. Mer. Ind. a

E. N. S. S.

40.00 set of g. sec. part from which

a Beech 24 in. diameter N 16 E 28 Ms. dist. 3

a Do 14 " " " S 32 W 12 " "

52.94 a Hickory 24 " "

80.00 set part cor. of sec. 28, 29, 32 & 33 from which

a Beech 24 in. diameter S 51 E 18 Ms. dist. 3

a Do 16 " " " N 17 W 17 " "

Land level 2^d rate, timber Sugar, Beech, Oak
& Upr. Spruce

East on Random between Sec. 28 & 33

40.00 set temp. g. sec. part

79.90 Intersect N & S line 10 Ms. N. of part -

Land T. $\frac{1}{2}$ mile level 2^d rate, last $\frac{1}{2}$ mile
swampy, timber Beech, Ash, Elm & Upr.
Spruce &c

West Corrected between Sec. 28 & 33

39.95 set of g. sec. part at aver. dist. from which

a Beech 20 in. diameter S 67 W 49 Ms. dist. 3

a Do 12 " " " N 78 E 15 " "

79.90 to sec. cor. August 16, 1821

North between Sec. 28 & 29

24.34 a B. Oak 15 in. dia.

40.00 set of g. sec. part from which

a W. Oak 48 in. diameter S 38 W 12 Ms. dist. 3

a Beech 16 " " " N 63 E 54 " "

56.65 an Elm 30 " "

65.50 a Beech 24 " "

80.00 set part cor. of sec. 20, 21, 28 & 29 from which

a Beech 24 in. diameter N 32 W 20 Ms. dist. 3

a Do 14 " " " S 33 E 31 " "

Land T. $\frac{1}{2}$ mile swampy 2^d rate, timber
Beech, Oak, Elm & Ash, Upr. Spruce

Camp.

T. 26 N., R. 1 W. 2. Mer. Ind. &

Chs. Lk.

East on Random between Sec. 21 & 28

40.00 set temp. g. sec. post

79.84 Intercept N. S. line 24 Ms. N. of post -

Land S. rate, timber Beech, Ash, Upr. Spruce &

West Corrected between Sec. 21 & 28

39.92 set g. sec. post at arvi. dit. from which

a Beech 36 in. dia. bears S 87° W 23 Ms. dit. S

a Sugar 24 " " " N 55° E 41 " "

79.84 to sec. cor.

North between Sec. 20 & 21

25.30 a Beech 30 in. dia.

40.00 set g. sec. post from which

a Beech 18 in. dia. bears S 29° W 36 Ms. dit. S

a Dr 16 " " " N 66° E 9 " "

47.50 a Dr 36 " "

53.92 a Brook 25 Ms. wide course S W

61.79 a Sugar 36 in. dia.

80.00 set post cor. of Sec. 16, 17, 20 & 21 from which

a Beech 24 in. dia. bears S 28° W 22 Ms. dit. S

a Dr 15 " " " N 34° E 7 " "

Land broken & hilly, timber Beech, Sugar,
Ash, Upr. Spruce &

East on Random between Sec. 16 & 21

40.00 set temp. g. sec. post

79.86 Intercept N. S. line at post -

Land rolling S. rate, timber Beech, Sugar,
Oak, Upr. Spruce &

West Corrected between Sec. 16 & 21

39.93 set g. sec. post at arvi. dit. from which

a — 26 in. dia. bears N 46° E 37 Ms. dit. S

a Beech 16 " " " S 64° W 55 " "

79.86 to sec. cor. August 17. 1821

T. 20 N., R. 1 W. 2. Mer. Ind. a

Ch. Ch.

North between Sec. 16 & 17

19.57 a Sugar 30 in. dia.

26.06 a Do 30 " "

40.00 set of sec. post from which

a Sugar 24 in. dia. bears S 63 E 14 Ms. dist. 8

a Buckeye 12 " " " N 40 W 15 " "

54.21 a Brook 15 Ms. wide course N W

64.50 a W. Oak 36 in. dia.

75.00 Intersect Wabash R. set post on left bank from

which an Elm 36 in. dia. bears N 65 E 18 Ms. dist. 8

a W. Oak 20 " " " S 27 W 35 " "

Bottom land, timber Sugar, Elm & Spruce &

West between Sec. 9 & 16

8.43 a Sugar 24 in. dia.

18.00 a Brook 20 Ms. wide course N W

28.85 a Bl. Ash 20 in. dia.

40.00 set of sec. post from which

an Elm 24 in. dia. bears S 40 W 17 Ms. dist. 8

an Ironw. 8 " " " N 30 E 7 " "

77.94 Intersect Wabash R. set post on left bank from

which a W. Oak 24 in. dia. bears S 37 W 47 Ms. dist. 8

a Sugar 24 " " " N 57 E 41 " "

Bottom land, timber Beech, Sugar, Ash, Wal-
nut, Buckeye & Upr. Prickly Ash &

North between Sec. 31 & 32

8.46 a W. Oak 20 in. dia.

9.44 a Stream 100 Ms. wide course S W

37.28 a Beech 30 in. dia.

40.00 set of sec. post from which

a Beech 24 in. dia. bears S 85 E 13 Ms. dist. 8

a Do 10 " " " N 17 W 22 " "

46.70 a Sugar 24 " "

70.46 a Poplar 24 " "

80.00 set post on of sec. 29, 30, 31 & 32 from which

T. 26 N., R. 19 W. 2^d Mer. Ind.^a

Chas. Sh.

an Elm 36 in. dia. leans S 58 W 32 W. dit. 8

a Beech 10 " " " N 37 E 13 " "

Land 2^d rate, 1st 1/4 mile hilly, 2nd 1/2 mile level,
timber Beech, Oak, Poplar & Wyl. Spice

East on Random between Sec. 29 & 32

40.00 at temp. g. sec. port

79.84 Intersect N. S. line at port -

Land level 2^d rate, timber Beech, Oak & Poplar
Wyl. Spice

West Corrected between Sec. 29 & 32

39.92 at g. sec. port at aver. dit. from which

a Poplar 18 in. dia. leans N 33 E 23 W. dit. 18

a Sugar 24 " " " S 20 W 15 " "

79.84 to sec. cr. August 18. 1821

West between Sec. 30 & 31

11.92 a Beech 30 in. dia.

40.00 at g. sec. port from which

a Beech 24 in. dia. leans N 25 E 25 W. dit. 8

an Ash 15 " " " S 80 W 12 " "

45.90 a Beech 30 " "

60.69 a Do 20 " "

70.75 a Stream 100 W. wide course N

79.55 Intersect W. Boundary 20 W. N. of port -

dit port at intersection cr. of Sec. 30 & 31 from which

a Buckeye 10 in. dia. leans S 90 W 19 W. dit. 8

a Walnut 20 " " " N 21 E 41 " "

Land broken & hilly, timber Beech, Sugar
Wyl. Spice

North between Sec. 29 & 30

5.54 a Gum 30 in. dia.

30.18 a Stream 25 W. wide course N W

31.66 a Sugar 24 in. dia.

T. 26 N., R. 1 W. 2. Mer. Ind.^a

Ch. 24?

40.00 set g. sec. post from which

a Beech 20 in. diam. bears N 77 E 32 Ms. dist. 3

a Dr 18 " " " S 42 W 32 " "

51.29 a Sugar 24 " "

80.00 set post cor. of sec. 19, 20, 29 & 30 from which

a Sugar 24 in. diam. bears S 67 W 6 Ms. dist. 3

a Dr 16 " " " N 78 E 34 " "

Land rolling good 2nd rate, timber Beech,
Sugar, Ash & Wgn. Spice Aug. 18. 1821

East on Random between Sec. 20 & 29

40.00 set temp. g. sec. post

54.29 a Brook 8 Ms. wide course N W

79.80 Intersect N & S. line at post -

Land level 2nd rate, timber Beech, Sugar, Ash
& Wgn. Spice &c.

West Connected between Sec. 20 & 29

39.90 set g. sec. post at area. dist. from which

a Bl. Ash 20 in. diam. bears N 31 W 12 Ms. dist. 3

a Beech 8 " " " S 15 E 27 " "

79.80 to sec. cor.

West between Sec. 19 & 30

12.48 a Hackberry 18 in. dia.

27.63 a Sugar 24 " "

40.00 set g. sec. post from which

a Hackberry 10 in. diam. bears N 64 E 9 Ms. dist. 3

a Buckeye 8 " " " S 72 W 20 " "

48.32 an Elm 24 " "

68.68 a Stream 100 Ms. wide course N 20 E

79.25 Intersect W. Boundary 122 Ms. N. of post -

set post at intersection cor. of sec. 19 & 30 from which

a W. Walnut 10 in. diam. bears S 85 E 17 Ms. dist. 3

a Buckeye 8 " " " N 64 W 17 " "

First rate bottom, timber Walnut, Buckeye,

T. 26 N., R. 1 W. 2. Mer. Ind. a

Chas. M.

Hackberry & Upr. Prickly Ash, Poplar &
August 19, 1821

North between Sec. 19 & 20

8.14 a Sugar 24 in. dia.

40.00 set of sec. post from which

a Buckeye 10 in. dia. leans N 37° W 10 Ms. dist. 8

a Do 10 " " " S 70° E 14 " "

44.56 a Sugar 24 " "

80.00 set post cor. of sec. 17, 18, 19 & 20 from which

an Elm 10 in. dia. leans S 89° E 8 Ms. dist. 8

a Do 8 " " " S 25° W 19 " "

Bottom, timber Sugar, Walnut, Elm & Upr.
Spice, Pawpaw &

East on Random between Sec. 17 & 20

26.30 a Brook 25 Ms. wide corner N

40.00 set of sec. post (temp.)

79.70 Intersect N & S line at post -

Said 1st 1/2 mile bottom, 2 1/2 mile second Bottom
timber Walnut, Buckeye, Beech, Sugar &
Upr. Spice &

West Connected between Sec. 17 & 20

39.85 set of sec. post at aver. dist. from which

a Sugar 12 in. dia. leans N 29° E 14 Ms. dist. 8

a Do 36 " " " S 58° W 35 " "

79.70 to sec. cor. August 20, 1821

West between Sec. 18 & 19

8.00 a Sugar 20 in. dia.

35.74 Intersect Wabash R. set post on left bank from

which a Buckeye 12 in. dia. leans N 73° E 22 Ms. dist. 8

a Coffeenut 15 " " " S 16° W 23 " "

First rate bottom, timber Walnut, Sugar, Buck-
eye &

T. 26 N., R. 1 W. 2. Mer. Ind^aChp. 2nd

North between Sec. 17 & 18

8.50 Intersect Wabash River, set post on left bank from
which an Elm 24 in. dia. bears S 74 E 5 1/2 mi. dist. 2

also 16 " " " S 77 W 45 " "

Course Chp. Ch.	Remarks.
	Meanders of the left bank of the Wabash River. Beginning at post in line between Sec. 9 & 10, thence:
N 69 E 14.05	In Sec. 10
N 86 E 8.08	
N 67 E 23.50	
N 56 E 17.76	
N 46 1/2 E 5.55	to post in line between Sec. 3 & 10
N 16 E 30.00	In Sec. 3
N 45.14 E 23.36	to post in line between Sec. 2 & 3
N 2 E 3.00	In Sec. 2
N 20 E 8.50	
N 15 E 11.00	
N 83 1/4 W 8.33	to post in N. Boundary
	Beginning at post in line between Sec. 9 & 10
S 70 W 25.00	In Sec. 9
S 13 W 4.57	
S 67 W 12.61	
S 52 W 28.00	
S 70 W 13.65	
S 60 W 4.40	
S 77 1/4 W 10.21	to post in line between Sec. 9 & 16
S 21 W 5.36	In Sec. 16 - to post in line betw. sec. 16 & 17
S 22 W 41.50	In Sec. 17
S 30 W 6.10	

T. 26 N., R. 1 W. 2^d Mer. Ind.^aCourses: Ch. 26^s

S 47° W 23.50

S 82° W 22.42

S 84° W 7.23

S 77° W 14.86 to port in line between sec. 17 & 18

S 44° W 8.00 In Sec. 18

S 79° W 25.00

S 60 1/4° W 3.93 To port in line between sec. 18 & 19

S 39° W 10.50 In Sec. 19

S 70° W 7.00

S 79° W 7.30

West 6.25

S 89° W 14.53 to port in Range line.

Finished August 21, 1821

Henry Bryan
Dep. Surveyor.Continued in 1829 by David Willis, D. S.
North between Sec. 9 & 10

Commencing at port on left bank of Wabash River

9.83 set port on right bank from which

an Elm 10 in. diameter N 43 E 43 lbs. dist. 18

a Do 10 " " " N 76 W 38 " "

20.10 a Stream 12 lbs. wide course SE

24.98 a Bur Oak 18 in. dia.

28.22 set port cor. of sec. 3, 4, 9 & 10 from which

an Elm 18 in. diameter S 67° W 10 lbs. dist. 18

a B. Walnut 17 " " " N 38 E 15 " "

Land level 1st rate, timber Sugar, Elm, Hackberry &
Walnut Upr. Prickly Ash

East between Sec. 3 & 10

15.50 set port on G. Bicott's Reserve from which

an Elm 9 in. diameter N 89° W 20 lbs. dist. 18

a Do 11 " " " N 2° W 17 " "

T. 20 N., R. 1 W. 2. Mer. Ind.?

Exp. 2nd

11.86 to the cor. on the Wabash of said Reserve
February 18. 1829

North between Sect. 3 & 4

20.56 a W. Oak 36 in. dia.

29.00 a Stream 14 ft. wide course SE

40.00 set g. sec. post from which

a Beech 18 in. dia. bears S 50 W 5 ft. dist. 8

a Do 8 " " " N 34 E 28 " "

40.70 a Stream 14 ft. wide course SW

42.72 a Do 13 " " " SE

42.90 a Do 12 " " " SW

47.00 a Do 13 " " " SE

48.30 a Do 12 " " " SW

50.00 a Do 10 " " " SE

69.41 a Lym 27 in. dia.

76.40 Intersect N. Boundary 400 ft. W. of post -

set post at intersection cor. of sect. 3 & 4 from which

a Beech 24 in. dia. bears N 25 W 56 ft. dist. 8

a B. Ash 21 " " " S 36 W 15 " "

Land 2. rate, timber Ash & Beech Upr. Ironwood
& Dogwood

West between Sect. 4 & 9

20.05 a B. Ash 36 in. dia.

40.00 set g. sec. post from which

a Hickory 11 in. dia. bears N 64 E 7 ft. dist. 8

a R. Oak 10 " " " S 78 W 28 " "

53.25 a Stream 10 ft. wide course S

69.78 an Elm 18 in. dia.

80.00 set post cor. of sect. 4, 5, 8 & 9 from which

a W. Walnut 7 in. dia. bears N 20 E 6 ft. dist. 8

an Elm 6 " " " S 85 W 32 " "

Land rolling 2. rate, timber Oaks & Beech
Upr. Hazel & Ironwood

T. 26 N., R. 19 W. D. Mer. Ind. a

Chas. L. H.

North between Sec. 4 & 5

14.88 a Beech 20 in. dia.

40.00 set g. sec. post from which

a Hickory 5 in. dia. bears S 39 E 23 lbs. dist. 3

a B. Walnut 7 " " " N 20 W 24 " "

63.00 a W. Oak 46 " "

76.30 Intersection N. Boundary 313 th. N. of post -

set post at intersection cor. of sec. 4 & 5 from which

a Mulberry 14 in. dia. bears S 29 W 7 lbs. dist. 7

an Elm 10 " " " N 47 E 23 " "

Land level 2 rate, timber Oak, Ash & Beech

W. Ironwood

West between Sec. 5 & 8

4.62 set post on Burnetts Reserve from which

an Ironwood 16 in. dia. bears N 49 W 10 lbs. dist. 3

a B. Ash 18 " " " S 7 W 28 " "

This post stands 200 th. S. of N.E. cor. of Reserve

57.28 set post on the West line of Burnetts Reserve,

198 th. S. of the N.W. cor. of same, from which

a W. Oak 6 in. dia. bears South 19 lbs. dist. 3

a Spruce 8 " " " N 75 W 38 " "

65.15 a Poplar 20 " "

69.75 a Stream 15 th. wide course S W

74.60 a Do 15 " " " N W

75.00 a Do 15 " " " S W

75.80 a Do 16 " " " N W

80.00 set post cor. of sec. 5, 6, 7 & 8 from which

a W. Walnut 14 in. dia. bears N 58 E 29 lbs. dist. 3

a Buckeye 13 " " " S 69 E 16 " "

2 rate land, timber Oak & Ash

North between Sec. 5 & 6

5.50 a Stream 15 th. wide course W

30.38 a Poplar 54 in. dia.

40.00 set g. sec. post from which

T. 26 N., R. 1 W., T. 2 Mer., Ind. a.
E. & S. 20.

- a Beech 27 in. dia. leans N 22 E 4 lbs. dist. 8
 a Poplar 40 " " " S 38 W 36 " "
 50.50 a Stream 10 lbs. wide course S W
 64.75 a W. Oak 57 in. dia.
 69.50 a Stream 10 lbs. wide course S W
 72.20 a Do 10 " " " S E
 76.13 Intersect N. Boundary 223 lbs. N. of part -
 set part at intersection cor. of sect. 5 & 6 from which
 a W. Walnut 17 in. dia. leans S 54 W 21 lbs. dist. 8
 a S. Ark 18 " " " N 53 E 57 " "
 Land & the same as on the last line

West between Sec. 6 & 7

- 12.00 a Stream 20 west running 3 lbs. in the stream
 & coming out on the same side
 16.20 Stream 20 lbs. wide course S W
 24.48 a Poplar 30 in. dia.
 40.00 set q. sec. part from which
 a Sugar 9 in. dia. leans S 33 W 24 lbs. dist. 8
 a W. Walnut 8 " " " N 75 E 75 " "
 46.00 a Stream 10 lbs. wide course S E
 46.50 a Do 10 " " " N E
 46.94 a Do 10 " " " S E
 67.86 an Elm 19 in. dia.
 76.31 Intersect W. Boundary 42 lbs. N. of part -
 set part at intersection cor. of sec. 6 & 7 from which
 a B. Ark 13 in. dia. leans S 30 W 16 lbs. dist. 8
 a Gum 9 " " " East 25 " "
 Land & the same as on the last line

South between Sec. 7 & 8

- 12.88 a R. Oak 18 in. dia.
 31.31 a Cherry 36 " "
 40.00 set q. sec. part from which
 a Papaw 6 in. dia. leans N 26 E 31 lbs. dist. 8
 a Do 10 " " " S 51 W 18 " "

T. 20 N., R. 1 W., T. 2. Mer. Ind. a.

Ch. 20.

54.89 a R. Oak 27 in. dia.

65.60 set post on E. Cicott's Reserve 22.80 Ch. W of the
 N.E. corner of said Reserve from which
 a W. Oak 14 in. dia bears N 12 W 56 Ms. dist. 3
 a Do 21 " " " S 4 E 80 " "
 Land rolling T. state, timber Sugar & Walnut
 Upr. Ark & Hazel

South between Sec. 8 & 9

17.95 a Hickory 8 in. dia.

40.00 set of sec. post from which

a W. Oak 12 in. dia bears N 47 E 73 Ms. dist. 3

a Do 27 " " " N 51 W 23 " "

68.75 a Stream 8 Ms. wide course S E

69.85 set post on right bank of Wabash River from which

a R. Oak 30 in. dia bears N 51 E 82 Ms. dist. 3

a Willow 8 " " " S 77 W 89 " "

Land rolling T. state, timber Sugar, Walnut & Ark
 Upr. Hazel & Saprop

Meanders of right bank of Wabash River
 Commencing at S.E. cor. of Burnett's Reserve thence

Course	Ch. 20.	Remarks
		Right bank up stream
N 39 E	5.00	In Sec 8
N 48 E	1.38	to post in line between Sec. 8 & 9
N 48 E	12.50	In Sec. 9 — at 1.95 a Stream 10 Ms. wide S W
N 66 E	3.78	at 1 Ch. a Stream 8 Ms. wide
N 75 E	6.16	at 4.83 Ch. a Do 8 " "
N 60 E	7.44	
N 54 E	5.00	
N 36 E	14.41	at 8.50 Ch. lower end of Island at 13 Ch. a Stream 5 Ms. wide, at 10.00 Ch. upper end
N 49 E	16.75	at 10 Ch. upper end of Island

T. 26 N., R. 19 W. 2^d Mer. Ind.^a

Bearing & Dist.

Remarks.

N 62 E 14.74

N 74 E 17.27 to post in line between Sec. 9 & 10

N 74 E 4.00 In Sec. 10

N 67 E 12.50 Interset lower corner of G Chicotts Reserve

February 19. 1829,

The survey of this Township was commenced
on the 18th and finished on the 19th of February
1829

Pursuant to a contract dated 15th day of Aug-
ust 1828 and instructions from Edward Tiffin
Surveyor General of the United States, I have
surveyed and subdivided into sections the above
Township in the State of Indiana described
in said contract, and I certify that the foregoing
are correct and true field notes of the lines
which they purport to be as a part of said contract

Certified this 30th day of March 1829

David Hillis

Dep. Surveyor.

I certify that the foregoing transcript of
Field Notes of the survey of Township N. 26
North, in Range N. 19 West of the 2^d Principal
Meridian, in the State of Indiana, has been com-
pared with the original on file in this office and
found to be correct.

Surveyor General's Office,
Cincinnati Sept. 19. 1842

William Johnston
Sur. Genl.